

Product data sheet

Miniature connectors




Product description	M16 IP67 Male panel mount connector, Contacts: 7, unshielded, THT, IP67, front mounting
Area	M16 IP67 series 723
Part no.	09 0127 65 07


Illustration




Flexplatte



Scale drawing



Contact arrangement (Plug-in side)



You can find the assembly instructions on the next page.

Technical data

General features

Part no.	09 0127 65 07
Connector design	Male panel mount connector
Version	Connector pin straight
Connector locking system	screw
Termination	THT
Degree of protection	IP67
Temperature range from/to	-40 °C / 95 °C
Tightening torque screw nut	0.5-1 Nm

Product data sheet

Miniature connectors



Product description	M16 IP67 Male panel mount connector, Contacts: 7, unshielded, THT, IP67, front mounting
Area	M16 IP67 series 723
Part no.	09 0127 65 07

Mechanical operation	> 500 Mating cycles
Weight (g)	15.59
Customs tariff number	85369010

Electrical parameters

Rated voltage	125 V
Rated impulse voltage	800 V
Rated current (40 °C)	5.0 A
Insulation resistance	$\geq 10^{10} \Omega$
Pollution degree	1
Overvoltage category	I
Insulating material group	III
EMC compliance	unshielded

Material

Housing material	Zinc die-cast nickel-plated
Contact body material	PBT (UL94 V-0)
Contact material	CuZn (brass)
Contact plating	Ag (silver)
REACH SVHC	CAS 7439-92-1 (Lead)
SCIP number	638ef85e-2d8b-4558-bae0-0185130ef40c


Classifications

eCl@ss 11.1	27-44-01-09
ETIM 7.0	EC003569

Product data sheet
Miniature connectors

Product description	M16 IP67 Male panel mount connector, Contacts: 7, unshielded, THT, IP67, front mounting
Area	M16 IP67 series 723
Part no.	09 0127 65 07

Assembly instructions / Panel cut-out



Product data sheet

Miniature connectors



Product description	M16 IP67 Male panel mount connector, Contacts: 7, unshielded, THT, IP67, front mounting
Area	M16 IP67 series 723
Part no.	09 0127 65 07

Security notices

The connector must not be plugged or unplugged under load. Non-observance and improper use can result in personal injury.

The connectors have been developed for applications in plant engineering, control and electrical equipment construction. The user is responsible for checking whether the connectors can also be used in other areas of application.

Plug connectors with enclosure protection IP67 and IP68 are not suitable for use under water. When used outdoors, the plug connectors must be protected separately against corrosion. For further information on the IP protection classes, please refer to the "Technical Information" download centre.