

# Product data sheet

## Miniature connectors


Product description M16 IP67 Female panel mount connector, Contacts: 12, unshielded, THT, IP67, front mounting

Area M16 IP67 series 723  
 Part no. 09 0132 66 12


### Illustration




### Flexplatte



### Scale drawing



### Contact arrangement (Plug-in side)



You can find the assembly instructions on the next page.

### Technical data

#### General features

Part no.	09 0132 66 12
Connector design	Female panel mount connector
Version	Connector socket straight
Connector locking system	screw
Termination	THT
Degree of protection	IP67
Temperature range from/to	-40 °C / 95 °C

# Product data sheet

## Miniature connectors



Product description	M16 IP67 Female panel mount connector, Contacts: 12, unshielded, THT, IP67, front mounting
Area	M16 IP67 series 723
Part no.	09 0132 66 12

Tightening torque screw nut	0.5-1 Nm
Mechanical operation	> 500 Mating cycles
Weight (g)	10.74
Customs tariff number	85369010

### Electrical parameters

Rated voltage	60 V
Rated impulse voltage	500 V
Rated current (40 °C)	3,0 A
Insulation resistance	$\geq 10^{10} \Omega$
Pollution degree	1
Overvoltage category	I
Insulating material group	III
EMC compliance	unshielded

### Material

Housing material	Zinc die-cast nickel-plated
Contact body material	PBT (UL94 V-0)
Contact material	CuSn (bronze)
Contact plating	Au (gold)
REACH SVHC	CAS 7439-92-1 (Lead)
SCIP number	61482d0c-6125-41b5-9ba5-ef412ba51471


### Classifications

eCl@ss 11.1	27-44-01-09
ETIM 7.0	EC003569

Product data sheet  
Miniature connectors

Product description	M16 IP67 Female panel mount connector, Contacts: 12, unshielded, THT, IP67, front mounting
Area	M16 IP67 series 723
Part no.	09 0132 66 12

Assembly instructions / Panel cut-out



# Product data sheet

## Miniature connectors



Product description	<b>M16 IP67 Female panel mount connector, Contacts: 12, unshielded, THT, IP67, front mounting</b>
Area	<b>M16 IP67 series 723</b>
Part no.	<b>09 0132 66 12</b>

### Security notices

The connectors have been developed for applications in plant engineering, control and electrical equipment construction. The user is responsible for checking whether the connectors can also be used in other areas of application.

Plug connectors with enclosure protection IP67 and IP68 are not suitable for use under water. When used outdoors, the plug connectors must be protected separately against corrosion. For further information on the IP protection classes, please refer to the "Technical Information" download centre.