

Product data sheet

Automation technology - distributors, AS-interface




Product description	M12-A 8-way distributor, Contacts: 5, unshielded, pluggable M23, IP67
Area	M12-A series 772
Part no.	72 6315 200 08


Illustration



Pin assignment plans



Scale drawing



Technical data

General features

Part no.	72 6315 200 08
Connector design	8-way distributor
Version	distributor
Connector locking system	M12x1 Push-Pull
Termination	pluggable M23
Degree of protection	IP67
Cross-sectional area	E/A's 0.34 / supply 3x0.75 mm ² / E/A's 22 / supply 3x20
Temperature range from/to	-25 °C / 80 °C
Weight (g)	279.00
Customs tariff number	85369010

Electrical parameters

Rated voltage	10 - 30 V DC
Rated impulse voltage	500 V
Rated current (40 °C)	2 A (per contact) / 9 A max.
Insulation resistance	≥ 10 ¹⁰ Ω
Pollution degree	3
EMC compliance	unshielded

Material

Contact body material	PBT (UL94 V-0)
Contact material	CuZn (brass)
Contact plating	Au (gold)

Product data sheet

Automation technology - distributors, AS-interface



Product description **M12-A 8-way distributor, Contacts: 5, unshielded, pluggable M23, IP67**

Area **M12-A series 772**
Part no. **72 6315 200 08**

REACH SVHC **None (No pollutants)**

SCIP number **SCIP-number not available**

Classifications

eCl@ss 11.1 **27-06-03-11**

ETIM 7.0 **EC001855**

Declarations of conformity

RoHS Directive **2011/65/EU (EN 50581:2012)**

Product description	M12-A 8-way distributor, Contacts: 5, unshielded, pluggable M23, IP67
Area	M12-A series 772
Part no.	72 6315 200 08

Security notices

The connectors have been developed for applications in plant engineering, control and electrical equipment construction. The user is responsible for checking whether the connectors can also be used in other areas of application.

Plug connectors with enclosure protection IP 67 and IP 68 are not suitable for use under water. When used outdoors, the plug connectors must be protected separately against corrosion. For further information on the IP protection classes, please refer to the "Technical Information" download centre.